

OK TO ENTER

/JD/

1/7/2010

P/4631-70

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Confirmation No.: 2462

John STARK

Date: December 22, 2009

Serial No.: 10/565,523

Group Art Unit: 1797

Filed: January 23, 2006

Examiner: Joseph W. Drodge

Notice of Allowance Date: September 21, 2009

For: INTEGRATED WATER DECONTAMINATION PLANT AND WELL PUMP  
ARRANGEMENT

---

Via EFS-Web

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT UNDER 37 C.F.R. §1.312**

Sir:

Subsequent to the Notice of Allowance mailed September 21, 2009, please amend the application as follows.

**FEE CALCULATION**

Any additional fee required has been calculated as follows:

X If checked, "Small Entity" status is claimed.

NO. CLAIMS AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	EXTRA PRESENT	RATE	ADDIT. FEE
TOTAL 13	MINUS 20	* = 0	X (\$26 SE or \$52)	\$0
INDEP. 2	MINUS 3	** = 0	X (\$110 SE or \$220)	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM			X (\$195 SE or \$390)	\$0
* not less than 20 ** not less than 3				TOTAL \$0

---

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge the underpayment to Deposit Account No. 15-0700.

### **CONTINGENT EXTENSION REQUEST**

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 15-0700.

### **SUMMARY OF AMENDMENTS**

1.  If checked, an abstract (an amended abstract) is submitted herewith.
2.  If checked, amendment(s) to the drawings are submitted herewith.
3.  If checked, amendment(s) to the specification are submitted herewith.
4.  If checked, amendment(s) to the claims are submitted herewith.